# **BUDDY-TAPE**

## SPECIAL TAPE FOR GRAFTING AND BUDDING



HIGH PERFORMANCE OF GRAFTING AND BUDDING Easy and Speedy Operation

# **BUDDY-TAPE (for Grafting and Budding)**

Buddy-Tape is an innovative tape for budding and grafting devised with a unique formulation and properties to allow easy and rapid application, reduced labor costs, and high success rates in the crop.

In order to fully utilize the unique characteristics of Buddy-Tape, we recommend that it is stretched gradually as it is applied. Although there is a natural tendency to stretch the tape to fuller size and then simply wrap around, this can cause the tape to become stringy which can mean that the tape cuts into the growing plant like standard grafting tapes.

# The unique properties of Buddy-Tape

#### BIODEGRADABILITY

Buddy-Tape biodegrates naturally in exposure to sunlight, eliminating labor costs necessary to cut away standard tapes after use, and providing an environmentally responsible answer to the problem of waste.

#### ELASTICITY

Buddy-Tape can be stretched to up to six times its original length. The elastic nature of the material allows small pieces to be used for the application and ensures an extremely tight grip on the bud or graft to keep it firmly in place, as is necessary to allow successful growth. Elasticity also means the tape expands as the plant grows, avoiding cutting into the plant which is common problem with standard budding and grafting tapes.

#### SELF-ADHESION

Buddy-Tape is not adhesive in its normal stored form, but become self-adhesive when stretched. This allows quick application with no need for tying knots.

#### WATER-PROOFING

Buddy-Tape has a wax content to keep it waterproof, so the bud or graft will not dehydrate, but air can pass through the permeable tape allowing the bud to breathe. The wax content also means that use of Buddy-Tape can eliminate the need for waxing in covered areas.

#### POINT OF CAUTION


#### 1. Storage

Please keep Buddy-Tape out of direct sunlight within a temperature range of 10-30°C (In particular, avoid leaving the tape in a hot car). Lengthy exposure to UV light will begin the degradation process of the tape and could effect its performance.

#### 2. Weather

Once the tape has been applied it will be resistant to rainy and windy conditions. However, we recommend avoiding applying Buddy-Tape in the rain as water on lower than 15 °C, the elasticity of the tape is reduced. Do not remove Buddy-Tape from its protective case before application as this is necessary for protection from pressure and UV light.

## Method of use with Buddy-Tape for chip-budding and T-budding



#### NOTE;

#### Good Example

(Providing that the stalk of the budding chip has been cut to the appropriate length)


The tape has been stretched so that it lightly touches the bud.


This allows the solid bud to break through the stretched tape as it grows .

#### **Bad Example**


(Providing that the stalk of the budding chip has been cut to the appropriate length)

A gap of air exists between the stretched tape and the bud. This prevents the bud from breaking through the Buddy-Tape because it has softened by the time it reaches the tape .





### Method of use with Buddy-Tape for grafting



#### **Buddy-Tape Australian Stockist:**

Fernland: P: 1800 672 794 | E: sales@fernland.com.au | W: fernland.com.au